

PHP

- [Instalar PHP](#)
- [PHP - Apache no lo interpreta](#)
- [PHP - Format Datetime](#)
- [PHP - Instalar composer](#)

Instalar PHP

Ubuntu

```
sudo apt-get install software-properties-common
```

```
sudo add-apt-repository -y ppa:ondrej/php
```

```
sudo apt-get update
```

```
sudo apt-get install php7.4 php7.4-cli php7.4-common
```

```
sudo apt-get install php7.4-curl php7.4-gd php7.4-json php7.4-mbstring php7.4-curl php7.4-gd php7.4-intl  
php7.4-mysql php7.4-xml php7.4-zip
```

Debian

```
apt install apt-transport-https lsb-release ca-certificates
```

```
wget -O /etc/apt/trusted.gpg.d/php.gpg https://packages.sury.org/php/apt.gpg
```

```
echo "deb https://packages.sury.org/php/ $(lsb_release -sc) main" > /etc/apt/sources.list.d/php.list
```

```
apt update
```

```
apt install php7.2
```

```
apt install php7.2 php7.2-cli php7.2-common php7.2-json php7.2-opcache php7.2-mysql php7.2-zip php7.2-fpm  
php7.2-mbstring
```

PHP - Apache no lo interpreta

Install:

```
sudo apt-get install apache2 php7.x libapache2-mod-php7.x
```

Verify:

```
a2query -m php7.x
```

Load

```
sudo a2enmod php7.x
```

Restart apache

```
sudo service apache2 restart
```

PHP - Format Datetime

<https://stackoverflow.com/questions/33854482/php-carbon-get-today-date-by-formating-date>

```
$timestamp = strtotime($withdraw->timestamp);  
$newDate = date('Y-m-d H:i:s', $timestamp);
```

```
$dt = Carbon::now()  
  
var_dump($dt->toDateTimeString() == $dt);    // bool(true) => uses __toString()  
echo $dt->toDateString();                     // 1975-12-25  
echo $dt->toFormattedDateString();            // Dec 25, 1975  
echo $dt->toTimeString();                     // 14:15:16  
echo $dt->toDateTimeString();                  // 1975-12-25 14:15:16  
echo $dt->toDayDateTimeString();               // Thu, Dec 25, 1975 2:15 PM  
  
// ... of course format() is still available  
echo $dt->format('l jS \of F Y h:i:s A');      // Thursday 25th of December 1975 02:15:16 PM
```

PHP - Instalar composer

```
curl -sS https://getcomposer.org/installer | php
```

```
mv composer.phar /usr/local/bin/composer
```

```
chmod +x /usr/local/bin/composer
```